

# MATERIAL SAFETY DATA SHEET

**PRODUCT** 

S0243 SOLN BATCH N/1 H2S04

SAFETY HEALTH AND ENVIRONMENTAL AFFAIRS

JUN 2 4 1991

Emergency Telephone Number Medical (708) 920-1510 (24 hours)

SECTION 1 PRODUCT IDENTIFICATION

TRADE NAME: S0243 SOLN BATCH N/1 H2S04

DESCRIPTION: 1.0 normal sulfuric acid solution

NFPA 704M/HMIS RATING: 0/0 HEALTH 0/0 FLAMMABILITY 0/0 REACTIVITY 0 OTHER

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

SECTION 2 HAZARDOUS INGREDIENTS

Our hazard evaluation of the ingredient(s) under OSHA's Hazard Communication Rule, 29 CFR 1910.1200 has found none of the ingredient(s) hazardous.

SECTION 3 PRECAUTIONARY LABEL INFORMATION

Do not take internally. Avoid contact with skin and eyes.

SECTION 4 FIRST AID INFORMATION

Flush contacted area with water.

SECTION 5 HEALTH EFFECTS INFORMATION

PRIMARY ROUTE(S) OF EXPOSURE: Eye, Skin

EYE CONTACT:

Non-irritating.

SKIN CONTACT:

Non-irritating.

SYMPTOMS OF EXPOSURE: A review of available data does not identify any

symptoms from exposure for such a dilute solution.

SECTION 6 TOXICOLOGY INFORMATION

ACUTE TOXICITY STUDIES: Acute toxicity studies have been conducted on this product. The results are shown below.

PRIMARY SKIN IRRITATION TEST (ALBINO RABBITS):

MEAN PRIMARY IRRITATION SCORE: 0.0/8.0 4-hour contact

SECTION 7 PHYSICAL AND CHEMICAL PROPERTIES

COLOR: Colorless

FORM: Liquid

ODOR: None

DENSITY:

8.4 lbs/gal.

SOLUBILITY IN WATER:

Completely

ASTM E-70

ph (NEAT) = FLASH POINT:

Less than 1

None

PAGE 1 OF 5





PRODUCT

S0243 SOLN BATCH N/1 H2S04

Emergency Telephone Number Medical (708) 920-1510 (24 hours)

SECTION 7 PHYSICAL AND CHEMICAL PROPERTIES

( CONTINUED )

NOTE: These physical properties are typical values for this product.

SECTION 8 FIRE AND EXPLOSION INFORMATION

FLASH POINT: None

EXTINGUISHING MEDIA: Not applicable

UNUSUAL FIRE AND EXPLOSION HAZARD: Not applicable

SECTION 9 REACTIVITY INFORMATION

INCOMPATIBILITY: None known

THERMAL DECOMPOSITION PRODUCTS: In the event of combustion SOx may be formed.

Do not breathe smoke or fumes. Wear suitable protective equipment.

SECTION 10 PERSONAL PROTECTION EQUIPMENT

VENTILATION: General ventilation is recommended.

PROTECTIVE EQUIPMENT: Safety glasses should be worn when handling any

liquid product.

SECTION 11 SPILL AND DISPOSAL INFORMATION

IN CASE OF TRANSPORTATION ACCIDENTS, CALL THE FOLLOWING 24-HOUR

TELEPHONE NUMBER (708-920-1510)

SPILL CONTROL AND RECOVERY:

Acid solution should be neutralized before discharging to a sanitary sewer.

DISPOSAL: If this product becomes a waste, it meets the criteria of a hazardous waste as defined under the Resources Conservation and Recovery Act (RCRA) 40 CFR 261. Hazardous Waste DO02.

Digmogal of an anid test matter

Disposal of an acid test solution may be accomplished by flushing into a waste treatment system which has a pH control system in operation.

Empty product containers should be punctured, if plastic, and placed in

the garbage collection container.

PAGE 2 OF 5

# MATERIAL SAFETY DATA SHEET



PRODUCT S0243 SOIN BATCH N/1 H2S04

Emergency Telephone Number Medical (708) 920-1510 (24 hours)

#### SECTION 12 ENVIRONMENTAL INFORMATION

If released into the environment, see CERCIA in Section 14.

### SECTION 13 TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME/HAZARD CODE - PRODUCT IS NOT REGULATED DURING TRANSPORTATION

#### SECTION 14 REGULATORY INFORMATION

The following regulations apply to this product.

#### FEDERAL REGULATIONS:

OSHA'S HAZARD COMMUNICATION RULE, 29 CFR 1910.1200: Based on our hazard evaluation, this product is not hazardous.

CERCIA/SUPERFUND, 40 CFR 117, 302: Notification of spills of this product is not required.

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (TITLE III) - SECTIONS 302, 311, 312 AND 313:

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355): This product contains sulfuric acid, which is listed in Appendix A and B as an Extremely Hazardous Substance, but the amount does not require action for reporting.

A release of this product will not require a notification to your State Emergency Response Commission.

SECTIONS 311 and 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370): Our hazard evaluation has found that this product is not hazardous under 29 CFR 1910.1200.

SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372): This product does not contain ingredients (at a level of 1% or greater) on the List of Toxic Chemicals.

TOXIC SUBSTANCES CONTROL ACT (TSCA):
The chemical ingredients in this product are on the 8(b) Inventory List (40 CFR 710).

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA), 40 CFR 261 SUBPART C & D: Consult Section 11 for RCRA classification.

PAGE 3 OF 5





PRODUCT

S0243 SOLN BATCH N/1 H2S04

Emergency Telephone Number Medical (708) 920-1510 (24 hours)

### SECTION 14 REGULATORY INFORMATION

( CONTINUED )

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15 (formerly Sec. 307), 40 CFR 116 (formerly Sec. 311):
This product contains the following ingredient covered by the Clean Water Act:

Sulfuric acid - Section 311

CLEAN AIR ACT, 40 CFR 60, SECTION 111, 40 CFR 61, SECTION 112: This product does not contain ingredients covered by the Clean Air Act.

#### STATE REGULATIONS:

#### CALIFORNIA PROPOSITION 65:

None of the chemicals on the current Proposition 65 list are known to be present in this product.

#### MICHIGAN CRITICAL MATERIALS:

This product does not contain ingredients listed on the Michigan Critical Materials Register.

### STATE RIGHT TO KNOW LAWS:

This product does not contain ingredients listed by State Right To Know Laws.

# SECTION 15 ADDITIONAL INFORMATION

None

## SECTION 16 USER'S RESPONSIBILITY

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to ensure safe workplace operations. Please consult your local sales representative for any further information.

#### SECTION 17 BIBLIOGRAPHY

ANNUAL REPORT ON CARCINOGENS, U.S. Department of Health and Human Services, Public Health Service, PB 33-135855, 1983.

CASARETT AND DOULL'S TOXICOLOGY, THE BASIC SCIENCE OF POISONS, Doull, J.,

PAGE 4 OF 5



## MATERIAL SAFETY DATA SHEET

PRODUCT

S0243 SOLN BATCH N/1 H2S04

Emergency Telephone Number Medical (708) 920-1510 (24 hours)

#### SECTION 17 BIBLIOGRAPHY

( CONTINUED )

Klaassen, C. D., and Admur, M. O., eds., Macmillian Publishing Company, Inc., N. Y., 2nd edition, 1980.

CHEMICAL HAZARDS OF THE WORKPLACE, Proctor, N. H., and Hughes, J. P., eds., J. P. Lipincott Company, N.Y., 1981.

DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS, Sax, N. Irving, ed., Van Nostrand Reinhold Company, N.Y., 6th edition, 1984.

IARC MONOGRAPHS ON THE EVALUATION OF THE CARCINOGENIC RISK OF CHEMICALS TO MAN, Geneva: World Health Organization, International Agency for Research on Cancer, 1972-1977.

PATTY'S INDUSTRIAL HYGIENE AND TOXICOLOGY, Clayton, G. D., Clayton, F. E., eds., John Wiley and Sons, N. Y., 3rd edition, Vol. 2 A-C, 1981.

REGISTRY OF TOXIC EFFECTS ON CHEMICAL SUBSTANCES, U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1983 supplement of 1981-1982 edition, Vol. 1-3, OH, 1984.

Title 29 Code of Federal Regulations Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA).

THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS IN THE WORKROOM ENVIRONMENT WITH INTENDED CHANGES, American Conference of Governmental Industrial Hygienists, OH.

PREPARED BY: Ricky A. Stackhouse PhD., Toxicologist

DATE CHANGED: 01/24/91

DATE PRINTED: 02/14/91

PAGE 5 OF 5



MATERIA	L SAFET	ry da	TA S	SHI	EET
---------	---------	-------	------	-----	-----

PRODUC	:T		
	•		

Emergency Telephone Number Medical (708) 920-1510 (24 hours)